

References

1. Haas RLM, Bonvalot S, Miceli R, Strauss DC, Swallow CJ, Hohenberger P, et al. Radiotherapy for retroperitoneal liposarcoma: A report from the Transatlantic Retroperitoneal Sarcoma Working Group. *Cancer.* 2019;125(8):1290-300.
2. Lee HS, Yu JI, Lim DH, Kim SJ. Retroperitoneal liposarcoma: the role of adjuvant radiation therapy and the prognostic factors. *Radiat Oncol J.* 2016;34(3):216-22.
3. Molina G, Hull MA, Chen YL, DeLaney TF, De Amorim Bernstein K, Choy E, et al. Preoperative radiation therapy combined with radical surgical resection is associated with a lower rate of local recurrence when treating unifocal, primary retroperitoneal liposarcoma. *J Surg Oncol.* 2016;114(7):814-20.
4. Mussi C, Collini P, Miceli R, Barisella M, Mariani L, Fiore M, et al. The prognostic impact of dedifferentiation in retroperitoneal liposarcoma: a series of surgically treated patients at a single institution. *Cancer.* 2008;113(7):1657-65.
5. Bonvalot S, Gronchi A, Le Pechoux C, Swallow CJ, Strauss D, Meeus P, et al. Preoperative radiotherapy plus surgery versus surgery alone for patients with primary retroperitoneal sarcoma (EORTC-62092: STRASS): a multicentre, open-label, randomised, phase 3 trial. *Lancet Oncol.* 2020;21(10):1366-77.
6. Chouliaras K, Senehi R, Ethun CG, Poultides G, Grignol V, Clarke CN, et al. Role of radiation therapy for retroperitoneal sarcomas: An eight-institution study from the US Sarcoma Collaborative. *J Surg Oncol.* 2019;120(7):1227-34.
7. Chouliaras K, Senehi R, Ethun CG, Poultides G, Tran T, Grignol V, et al. Recurrence patterns after resection of retroperitoneal sarcomas: An eight-institution study from the US Sarcoma Collaborative. *J Surg Oncol.* 2019;120(3):340-7.
8. Hassan I, Park SZ, Donohue JH, Nagorney DM, Kay PA, Nascimento AG, et al. Operative management of primary retroperitoneal sarcomas: a reappraisal of an institutional experience. *Ann Surg.* 2004;239(2):244-50.
9. Heslin MJ, Lewis JJ, Nadler E, Newman E, Woodruff JM, Casper ES, et al. Prognostic factors associated with long-term survival for retroperitoneal sarcoma: implications for management. *J Clin Oncol.* 1997;15(8):2832-9.
10. Le Pechoux C, Musat E, Baey C, Al Mokhles H, Terrier P, Domont J, et al. Should adjuvant radiotherapy be administered in addition to front-line aggressive surgery (FAS) in patients with primary retroperitoneal sarcoma? *Ann Oncol.* 2013;24(3):832-7.
11. Abdelfatah E, Guzzetta AA, Nagarajan N, Wolfgang CL, Pawlik TM, Choti MA, et al. Long-term outcomes in treatment of retroperitoneal sarcomas: A 15 year single-institution evaluation of prognostic features. *J Surg Oncol.* 2016;114(1):56-64.
12. Bredbeck BC, Delaney LD, Kathawate VG, Harter CA, Wilkowski J, Chugh R, et al. Factors associated with disease-free and abdominal recurrence-free survival in abdominopelvic and retroperitoneal sarcomas. *J Surg Oncol.* 2022;125(8):1292-300.
13. Callegaro D, Raut CP, Ajayi T, Strauss D, Bonvalot S, Ng D, et al. Preoperative Radiotherapy in Patients With Primary Retroperitoneal Sarcoma: EORTC-62092 Trial (STRASS) Versus Off-trial (STREXIT) Results. *Ann Surg.* 2022.
14. Catton CN, O'Sullivan B, Kotwall C, Cummings B, Hao Y, Fornasier V. Outcome and prognosis in retroperitoneal soft tissue sarcoma. *Int J Radiat Oncol Biol Phys.* 1994;29(5):1005-10.
15. Kelly KJ, Yoon SS, Kuk D, Qin LX, Dukleska K, Chang KK, et al. Comparison of Perioperative Radiation Therapy and Surgery Versus Surgery Alone in 204 Patients With Primary Retroperitoneal Sarcoma: A Retrospective 2-Institution Study. *Ann Surg.* 2015;262(1):156-62.
16. Kim HJ, Koom WS, Cho J, Kim HS, Suh CO. Efficacy of Postoperative Radiotherapy Using Modern Techniques in Patients with Retroperitoneal Soft Tissue Sarcoma. *Yonsei Med J.* 2018;59(9):1049-56.

17. Sampath S, Hitchcock YJ, Shrieve DC, Randall RL, Schultheiss TE, Wong JY. Radiotherapy and extent of surgical resection in retroperitoneal soft-tissue sarcoma: multi-institutional analysis of 261 patients. *J Surg Oncol.* 2010;101(5):345-50.
18. Snow HA, Hitchen TX, Head J, Herschthal A, Bae S, Chander S, et al. Treatment of patients with primary retroperitoneal sarcoma: predictors of outcome from an Australian specialist sarcoma centre. *ANZ J Surg.* 2018;88(11):1151-7.
19. Stoeckle E, Coindre JM, Bonvalot S, Kantor G, Terrier P, Bonichon F, et al. Prognostic factors in retroperitoneal sarcoma: a multivariate analysis of a series of 165 patients of the French Cancer Center Federation Sarcoma Group. *Cancer.* 2001;92(2):359-68.
20. Stucky CC, Wasif N, Ashman JB, Pockaj BA, Gunderson LL, Gray RJ. Excellent local control with preoperative radiation therapy, surgical resection, and intra-operative electron radiation therapy for retroperitoneal sarcoma. *J Surg Oncol.* 2014;109(8):798-803.
21. Toulmonde M, Bonvalot S, Meeus P, Stoeckle E, Riou O, Isambert N, et al. Retroperitoneal sarcomas: patterns of care at diagnosis, prognostic factors and focus on main histological subtypes: a multicenter analysis of the French Sarcoma Group. *Ann Oncol.* 2014;25(3):735-42.
22. Haas R, Stelmes JJ, Zaffaroni F, Sauve N, Clementel E, Bar-Deroma R, et al. Critical impact of radiotherapy protocol compliance and quality in the treatment of retroperitoneal sarcomas: Results from the EORTC 62092-22092 STRASS trial. *Cancer.* 2022;128(14):2796-805.
23. Trovik LH, Ovrebo K, Almquist M, Haugland HK, Rissler P, Eide J, et al. Adjuvant radiotherapy in retroperitoneal sarcomas. A Scandinavian Sarcoma Group study of 97 patients. *Acta Oncol.* 2014;53(9):1165-72.
24. Baran AKAGUNDUZ TAT, Hasan Cagri YILDIRIM, Sema Sezgin GOKSU, Nazan DEMIR, Emre HAFIZOGLU, Muhammet OZER, Gokcen Tugba CEVIK, Abdullah SAKIN, Sabin Goktas AYDIN, Nilay Sengul SAMANCI, Neslihan OZYURT, Muhammed Mustafa ATCI, Murat AYHAN1 Merve TURAN, Nisanur SARIYAR, Cengiz KARACIN, Saadettin KILICKAP, Semra PAYDAS, Mutlu DOGAN. Factors Affecting Survival in Retroperitoneal Sarcomas Treated with Upfront Surgery: A Real-World Study by Turkish Oncology Group. *International Journal of Hematology and Oncology.* 2021;31.
25. Bevilacqua RG, Rogatko A, Hajdu SI, Brennan MF. Prognostic factors in primary retroperitoneal soft-tissue sarcomas. *Arch Surg.* 1991;126(3):328-34.
26. Bremjit PJ, Jones RL, Chai X, Kane G, Rodler ET, Loggers ET, et al. A contemporary large single-institution evaluation of resected retroperitoneal sarcoma. *Ann Surg Oncol.* 2014;21(7):2150-8.
27. Eckardt MA, Graham DS, Klingbeil KD, Loftus SY, McCaw TR, Bailey MJ, et al. Lifelong Imaging Surveillance is Indicated for Patients with Primary Retroperitoneal Liposarcoma. *Ann Surg Oncol.* 2022.
28. Hager S, Makowiec F, Henne K, Hopt UT, Wittel UA. Significant benefits in survival by the use of surgery combined with radiotherapy for retroperitoneal soft tissue sarcoma. *Radiat Oncol.* 2017;12(1):29.
29. Lane WO, Cramer CK, Nussbaum DP, Speicher PJ, Gulack BC, Czito BG, et al. Analysis of perioperative radiation therapy in the surgical treatment of primary and recurrent retroperitoneal sarcoma. *J Surg Oncol.* 2015;112(4):352-8.
30. Nathenson MJ, Barysauskas CM, Nathenson RA, Regine WF, Hanna N, Sausville E. Surgical resection for recurrent retroperitoneal leiomyosarcoma and liposarcoma. *World J Surg Oncol.* 2018;16(1):203.
31. Park H, Lee S, Kim B, Lim DH, Choi YL, Choi GS, et al. Tissue expander placement and adjuvant radiotherapy after surgical resection of retroperitoneal liposarcoma offers improved local control. *Medicine (Baltimore).* 2016;95(32):e4435.
32. Ecker BL, Peters MG, McMillan MT, Sinnamon AJ, Zhang PJ, Fraker DL, et al. Preoperative radiotherapy in the management of retroperitoneal liposarcoma. *Br J Surg.* 2016;103(13):1839-46.

33. Nussbaum DP, Speicher PJ, Gulack BC, Ganapathi AM, Englum BR, Kirsch DG, et al. Long-term Oncologic Outcomes After Neoadjuvant Radiation Therapy for Retroperitoneal Sarcomas. *Ann Surg*. 2015;262(1):163-70.
34. Bartlett EK, Roses RE, Meise C, Fraker DL, Kelz RR, Karakousis GC. Preoperative radiation for retroperitoneal sarcoma is not associated with increased early postoperative morbidity. *J Surg Oncol*. 2014;109(6):606-11.
35. Nussbaum DP, Speicher PJ, Gulack BC, Ganapathi AM, Keenan JE, Stinnett SS, et al. The effect of neoadjuvant radiation therapy on perioperative outcomes among patients undergoing resection of retroperitoneal sarcomas. *Surg Oncol*. 2014;23(3):155-60.
36. Erstad DJ, Chiang YJ, Witt RG, Cope B, Nassif EF, Scally CP, et al. Clinical Impact of External Beam Radiotherapy for Surgically Resected Primary Retroperitoneal Liposarcoma. *Ann Surg Oncol*. 2023;30(2):926-40.
37. Tirotta F, Parente A, Hodson J, Desai A, Almond LM, Ford SJ. Cumulative Burden of Postoperative Complications in Patients Undergoing Surgery for Primary Retroperitoneal Sarcoma. *Ann Surg Oncol*. 2021;28(12):7939-49.
38. Ma SJ, Oladeru OT, Farrugia MK, Shekher R, Iovoli AJ, Singh AK. Evaluation of Preoperative Chemotherapy or Radiation and Overall Survival in Patients With Nonmetastatic, Resectable Retroperitoneal Sarcoma. *JAMA Netw Open*. 2020;3(11):e2025529.
39. Tirotta F, Parente A, Richardson T, Almonib A, Evenden C, Max Almond L, et al. Comparison of comprehensive complication index and Clavien-Dindo classification in patients with retroperitoneal sarcoma. *J Surg Oncol*. 2021;124(7):1166-72.
40. Leiting JL, Bergquist JR, Hernandez MC, Merrell KW, Folpe AL, Robinson SI, et al. Radiation Therapy for Retroperitoneal Sarcomas: Influences of Histology, Grade, and Size. *Sarcoma*. 2018;2018:7972389.
41. Choi AH, Barnholtz-Sloan JS, Kim JA. Effect of radiation therapy on survival in surgically resected retroperitoneal sarcoma: a propensity score-adjusted SEER analysis. *Ann Oncol*. 2012;23(9):2449-57.
42. Giuliano K, Nagarajan N, Canner JK, Wolfgang CL, Bivalacqua T, Terezakis S, et al. Predictors of improved survival for patients with retroperitoneal sarcoma. *Surgery*. 2016;160(6):1628-35.
43. Tseng WH, Martinez SR, Do L, Tamurian RM, Borys D, Canter RJ. Lack of survival benefit following adjuvant radiation in patients with retroperitoneal sarcoma: a SEER analysis. *J Surg Res*. 2011;168(2):e173-80.
44. Littau MJ, Kulshrestha S, Bunn C, Agnew S, Sweigert P, Luchette FA, et al. The importance of the margin of resection and radiotherapy in retroperitoneal liposarcoma. *Am J Surg*. 2021;221(3):554-60.
45. Littau MJ, Kulshrestha S, Bunn C, Agnew S, Sweigert P, Luchette FA, et al. The importance of the margin of resection and external radiation in non-lipomatous retroperitoneal sarcoma. *Am J Surg*. 2021;221(3):543-8.
46. Nussbaum DP, Rushing CN, Lane WO, Cardona DM, Kirsch DG, Peterson BL, et al. Preoperative or postoperative radiotherapy versus surgery alone for retroperitoneal sarcoma: a case-control, propensity score-matched analysis of a nationwide clinical oncology database. *Lancet Oncol*. 2016;17(7):966-75.
47. Stahl JM, Corso CD, Park HS, An Y, Rutter CE, Han D, et al. The effect of microscopic margin status on survival in adult retroperitoneal soft tissue sarcomas. *Eur J Surg Oncol*. 2017;43(1):168-74.
48. Bates JE, Dhakal S, Mazloom A, Constine LS. The Benefit of Adjuvant Radiotherapy in High-grade Nonmetastatic Retroperitoneal Soft Tissue Sarcoma: A SEER Analysis. *Am J Clin Oncol*. 2018;41(3):274-9.
49. Nazzani S, Bandini M, Marchioni M, Preisser F, Tian Z, Soulieres D, et al. A contemporary analysis of radiotherapy effect in surgically treated retroperitoneal sarcoma. *Radiother Oncol*. 2018;127(2):318-25.

50. Nazzani S, Preisser F, Bandini M, Marchioni M, Tian Z, Soulieres D, et al. Surgically Treated Retroperitoneal Sarcoma: A Population-based Competing Risks Analysis. *Eur Urol Oncol*. 2018;1(4):346-51.
51. Weng C, Wang J, Zhao J, Yuan D, Huang B, Wang T. Radical Versus Non-Radical Resection for Early-Stage Retroperitoneal Sarcoma: A Propensity Score-Matched Analysis. *Front Oncol*. 2021;11:706543.
52. Zhou Z, McDade TP, Simons JP, Ng SC, Lambert LA, Whalen GF, et al. Surgery and radiotherapy for retroperitoneal and abdominal sarcoma: both necessary and sufficient. *Arch Surg*. 2010;145(5):426-31.
53. Callegaro D, Raut CP, Ng D, Strauss DC, Honore C, Stoeckle E, et al. Has the Outcome for Patients Who Undergo Resection of Primary Retroperitoneal Sarcoma Changed Over Time? A Study of Time Trends During the Past 15 years. *Ann Surg Oncol*. 2021;28(3):1700-9.
54. Feki J, Lajnef M, Fourati M, Sakka D, Hassena RB, Slimen MH, et al. The management of retroperitoneal sarcoma: The experience of a single institution and a review of the literature. *J Taibah Univ Med Sci*. 2023;18(1):125-31.
55. Gutierrez JC, Perez EA, Franceschi D, Moffat FL, Jr., Livingstone AS, Koniaris LG. Outcomes for soft-tissue sarcoma in 8249 cases from a large state cancer registry. *J Surg Res*. 2007;141(1):105-14.
56. Turner BT, Hampton L, Schiller D, Mack LA, Robertson-More C, Li H, et al. Neoadjuvant radiotherapy followed by surgery compared with surgery alone in the treatment of retroperitoneal sarcoma: a population-based comparison. *Curr Oncol*. 2019;26(6):e766-e72.
57. Bonvalot S, Rivoire M, Castaing M, Stoeckle E, Le Cesne A, Blay JY, et al. Primary retroperitoneal sarcomas: a multivariate analysis of surgical factors associated with local control. *J Clin Oncol*. 2009;27(1):31-7.
58. Jaques DP, Coit DG, Hajdu SI, Brennan MF. Management of primary and recurrent soft-tissue sarcoma of the retroperitoneum. *Ann Surg*. 1990;212(1):51-9.
59. Kaminski A, Kolosza Z, Strojek J, Pikecki B, Poltorak S. Value of Combined Treatment of Retroperitoneal Sarcomas. *Polski Przegląd Chirurgiczny*. 2007;79:534-47.
60. Kwong ML, Lee B, Kunihira K, Sutjiadi B, Reeves ME, Selleck M, et al. Treatment Factors Associated With Overall Survival in Retroperitoneal Sarcoma: An Institutional Review. *Am Surg*. 2020;86(10):1358-62.
61. Littau MJ, Bunn C, Kim P, Kulshrestha S, Tonelli C, Abdelsattar ZM, et al. Low and moderate grade retroperitoneal liposarcoma: Is adjuvant radiotherapy associated with improved survival in patients undergoing R1 resection? *Am J Surg*. 2022;223(3):527-30.
62. Singer S, Corson JM, Demetri GD, Healey EA, Marcus K, Eberlein TJ. Prognostic factors predictive of survival for truncal and retroperitoneal soft-tissue sarcoma. *Ann Surg*. 1995;221(2):185-95.
63. Hayrullah Derici TT, Okay Nazli, Ali Dogan Bozdag, Enver Reyhan, Cemal Kara. Prognostic Factors of Retroperitoneal Soft-Tissue Sarcomas. *Chirurgische Gastroenterologie*. 2006;22:179-84.
64. Willis F, Musa J, Schimmac S, Hinz U, Mechtersheimer G, Uhl M, et al. Outcome after surgical resection of multiple recurrent retroperitoneal soft tissue sarcoma. *Eur J Surg Oncol*. 2021;47(8):2189-200.
65. Pierie JP, Betensky RA, Choudry U, Willett CG, Souba WW, Ott MJ. Outcomes in a series of 103 retroperitoneal sarcomas. *Eur J Surg Oncol*. 2006;32(10):1235-41.
66. van Doorn RC, Galley MP, Hart AA, Gortzak E, Rutgers EJ, van Coevorden F, et al. Resectable retroperitoneal soft tissue sarcomas. The effect of extent of resection and postoperative radiation therapy on local tumor control. *Cancer*. 1994;73(3):637-42.